



KVERNELAND 6500F FLEXIWRAP

ROUND BALER AND WRAPPER COMBINATION

KVERNELAND 6500F FLEXIWRAP

– HIGH CAPACITY FOR ONE-MAN OPERATIONS

High-density baling and accurate bale transfer: the perfect solution for integrated baling and wrapping!

One-Man Baling and Wrapping Combination

The new Kverneland 6500F FlexiWrap model is designed to ensure high-density baling and fast and accurate bale transfer. This machine offers an integrated solution for baling and wrapping in a single pass, making it perfect for one-man operations.

Strong and Durable Chassis

The newly designed wrap-around chassis has been optimised to minimise crop build-up. The new Kverneland 6500F FlexiWrap baler wrapper combination also features a twin satellite wrapper built around a strong and durable tandem axle chassis, ensuring maximum stability.

Higher output, lower labour cost

The 560/45R22.5 flotation tyres also deliver an evenly distributed weight for reduced ground compaction in the field, while also providing greater stability during road transport.

TECHNICAL DATA

Kverneland 6500F FlexiWrap

Bale size (m)

ø1.25 x 1.23

Number of rollers

18

Pre-chopping system

SuperCut 15 knives

Binding

Net, film

NEW!



PowerBind with film-on-film technology for maximum versatility and high silage quality

High-density bales with 18 Rollers baler chambers, hydraulic density and heavy-duty driveline

Smooth operating film on film binding

High-speed twine satellite wrapper

External control panel for simple maintenance

Fully ISOBUS-compatible control system

Triple rollers pre-stretchers offer high-quality wrapping and silage

2.30m large working width pick-up

SuperCut 15 knives with individual knife protection

Storage for 10 rolls of hydraulic film for high comfort

Tandem 560/45R22.5 wheels for low soil compaction

Information provided in this brochure is made for general information purposes only and for worldwide circulation. Inaccuracies, errors or omissions may occur and the information may thus not constitute basis for any legal claim against Kverneland Group. Availability of models, specifications and optional equipment may differ from country to country. Please consult your local dealer. Kverneland Group reserves the right at any time to make changes to the design or specifications shown or described, to add or remove features, without any notice or obligations. Safety devices may have been removed from the machines for illustration purposes only, in order to better present functions of the machines. To avoid risk of injury, safety devices must never be removed. If removal of safety devices is necessary, e.g. for maintenance purposes, please contact proper assistance or supervision of a technical assistant.
© Kverneland Group Kerterminde AS

WHEN FARMING MEANS BUSINESS

kverneland.com