


**NEW**

*VariBale*

Round Baler



# New Generation Variable Chamber Baler



*My way of Farming!*

# New Generation *Variable Chamber Baler*

***None is as beautiful as the perfectly formed bales produced by the new Vicon VariBale!***

**We all know a great shape when we see it:**

Well-formed bales with high density are key when harvesting valuable winter fodder and bedding. Bales with a fantastic shape not only look good, they are easier to stack, transport and store.

**Talking of figures – the numbers add up too!**

You'll find that VariBale is cost-effective to operate: Fast cycle times and high output in all crop conditions, combined with low maintenance requirements, means you'll spend more of your time being profitable with VariBale.

**VariBale is packed with features that get your attention:**

All new variable chamber with four super durable endless belts, larger diameter intake rotor, super wide 2.3m XL+ twin cam pick-up, and of course, the renowned PowerBind direct feed net system.

For productivity and ease of operation, once again VariBale leads the way: ISOBUS and TIM compatibility allow you to take full advantage of the latest labour-saving technology.

**“*It's all about the bale*”**

**VariBale 160**


Bale size (m):  
1.23 x ø0.70-1.65  
Baler Dimension, LxWxH (m):  
4.60 x 2.80 x 2.80  
Weight (kg): 3 600

**VariBale 190**

Bale size (m):  
1.23 x ø0.70-1.85  
Baler Dimension, LxWxH (m):  
4.60 x 2.80 x 2.80  
Weight (kg): 3 850

# “The perfect way to bale”

**NEW**



Easy serviceable bearings combined with automatic greasing

Vicon Sync seamless connection

Efficient & reliable PowerBind binding devices

Simple and low maintenance driveline / cinematic

High capacity 520mm diameter rotor

2.30m large working width pick-up

Unique easy to operate Intelligent Density 3D system

Heavy duty large diameter rollers

4 heavy duty triple plies endless belts

High degree of automation from unique TIM features

Smart chock protected modern look integrated LED road lights

Bale ejection and humidity controls

Unrivalled bale density

15 single protected knives chopping device

Highly efficient Parallelogram DropFloor rotor unblocking device

Information provided in this brochure is made for general information purposes only and for worldwide circulation. Inaccuracies, errors or omissions may occur and the information may thus not constitute basis for any legal claim against Kverneland Group. Availability of models, specifications and optional equipment may differ from country to country. Please consult your local dealer. Kverneland Group reserves the right at any time to make changes to the design or specifications shown or described, to add or remove features, without any notice or obligations. Safety devices may have been removed from the machines for illustration purposes only, in order to better present functions of the machines. To avoid risk of injury, safety devices must never be removed. If removal of safety devices is necessary, e.g. for maintenance purposes, please contact proper assistance or supervision of a technical assistant. © Kverneland Group Ravenna Srl



[vicon.eu](http://vicon.eu)



*My way of Farming!*