PF

ISOMATCH PRODUCT RANGE









Effi cient farming: discover the possibilities




using automatic section control and variable rate control. With the dual screen functionality it gives you the opportunity to view and manage two machines and/or processes simultaneously.

Easy control management

The IsoMatch Tellus GO+ is a cost-effi cient 7-inch terminal, especially developed for managing the machine in a simple way. You are in full control of the machine in exactly the way you want. Easily set up the machine with the soft keys via the 7-inch touch screen and for optimal control while driving simply use the hard keys and rotary switch. Controlling the implement has never been so easy.







equipment.

IsoMatch Grip

This ISOBUS auxiliary device is made for maximum machine control and efficient farming. Operate up to 44 functions per implement.



IsoMatch Global 3

The essential accessory for IsoMatch GEOCONTROL is the IsoMatch Global 3 GPS antenna, with DGPS accuracy. It enables satellite navigation for site-specific section control, variable rate application and fi eld registration.

As tractor steering with IsoMatch AutoDrive-E is handled automatically, you have the freedom to control and monitor your work in an easy way. While the work is more efficient and overlaps are avoided, you can completely focus on the result in the field. (Only in combination with IsoMatch Tellus PRO).

Advanced precision farming software

100% focus, the best performance

IsoMatch GEOCONTROL is an advanced software application within the IsoMatch terminals that helps you to control all ISOBUS compatible Kubota machines. Combined with a GPS receiver it fulfi ls the future needs in terms of innovative and efficient farming! The IsoMatch GEOCONTROL precision farming application includes Manual Guidance and Data Management free of charge. It is possible to expand this application with Section Control and/or Variable Rate Control.



IsoMatch InLine

The IsoMatch InLine is a light bar which allows easy manual guidance. It is the perfect assistant to get you as close as possible to your desired A-B line



IsoMatch (Multi)Eye

IsoMatch MultiEye is an accessory for connecting up to four cameras to the IsoMatch terminals. You can easily switch between the cameras with the remote control box which is standard included.

ISOMATCH PRODUCT RANGE 5





The company reserves the right to change the above specifications without notice. This brochure is for descriptive purpose only. Some of the items pictured in this brochure are optional and not standard equipment. Please consult your local Kubota dealer for warranty, safety or product information. For your safety, Kubota strongly recommend the use of a seat belt in all applications.

® = trademark protection in the EU

Kverneland Group Mechatronics



KVERNELAND GROUP MECHATRONICS

Visit our web site at: www.kubota.com