

For Earth, For Life
Kubota

BV

**KUBOTA
BV VARIABLE SERIES**





#BV6160-6190

Experience the next step in round baling

There is no better way to produce bales in such efficient way than with the new Kubota variable chamber balers.

Well shape and dense bale for high effectiveness:

Well-formed bales with high density are key when harvesting valuable winter fodder and bedding. Bales with a fantastic shape not only look good, they are easier to stack, transport and store.

Talking of figures – the numbers add up too!

You'll find that BV6100 is cost-effective to operate: Fast cycle times and high output in all crop conditions, combined with low maintenance requirements, means you'll spend more of your time being profitable with the BV6100.

The new BV6100 is packed with features that get your attention:

All new variable chamber with four super durable endless belts, larger diameter intake rotor, super wide 2.3m XL+ twin cam pick-up, and of course, the renowned PowerBind direct feed net system.

For productivity and ease of operation, once again the BV6100 leads the way: ISOBUS and TIM compatibility allow you to take full advantage of the latest labour-saving technology.

NEW



| Model | | BV6160 | BV6190 |
|-------------------------|------|--------------------|--------------------|
| Bale size | (m) | 1.23 x Ø0.70-1.65 | 1.23 x Ø0.70-1.85 |
| Baler dimensions, LxWxH | (m) | 4.60 x 2.80 x 2.80 | 4.60 x 2.80 x 2.80 |
| Weight | (kg) | 3600 | 3850 |

The company reserves the right to change the above specifications without notice. This brochure is for descriptive purpose only. Some of the items pictured in this brochure are optional and not standard equipment. Please consult your local Kubota dealer for warranty, safety or product information. For your safety, Kubota strongly recommend the use of a seat belt in all applications.

©2024 Kverneland Group Ravenna.Srl

