



9671 S EVO
SIDE DELIVERY RAKE

INNOVATE AND PERFORM WITH THE NEW 7.1M EVO RAKE!

Vicon Presents the Latest Evolution in Raking Technology

Vicon is proud to present the latest evolution in raking technology with the new 7.1m Evo rake. This new generation the 9671 S Evo rake, brings many updates and improvements designed to enhance your low cost raking experience. With a fresh design, improved usability, and the same reliable performance, these rakes are set to meet the demands of modern farming.

Design Updates

New Design: Featuring a grey main frame and red cover, the new design maintains a familiar look while offering a fresh aesthetic.

Option Package: Includes essential components such as land wheel, front swath board, tine safer, and inner wheels for the rotor.

Standard Features: Tandem wheels come as standard, ensuring stability and smooth operation.

Enhanced Usability

Drawbar Adjustment: Now comfortably adjustable by crank from the top, easy adaptation to all linkages and conditions.

Cross Bar Update: The cross bar has been strengthened, smoothed, and made easier to connect, enhancing overall usability.

Performance

TerraLink System: Well known TerraLink System stays with the machine allowing fast raking and ensuring excellent ground contour following.

*Innovative Design, Enhanced Usability,
and Reliable Performance*

TECHNICAL DATA

Kverneland 9671 S Evo • Side delivery rake

Dimensions & Operation


Working width (m): 7.10

Weight appr. (kg): 1350

Swath delivery: Left

Rotor diameter (m): 2.95

Number of rotors: 2

NEW!

Information provided in this brochure is made for general information purposes only and for worldwide circulation. Inaccuracies, errors or omissions may occur and the information may thus not constitute basis for any legal claim against Kverneland Group. Availability of models, specifications and optional equipment may differ from country to country. Please consult your local dealer. Kverneland Group reserves the right at any time to make changes to the design or specifications shown or described, to add or remove features, without any notice or obligations. Safety devices may have been removed from the machines for illustration purposes only, in order to better present functions of the machines. To avoid risk of injury, safety devices must never be removed. If removal of safety devices is necessary, e.g. for maintenance purposes, please contact proper assistance or supervision of a technical assistant.

WHEN FARMING MEANS BUSINESS

kverneland.com

